


S-5/PHSH/CC-11/22

TDP (Honours) 5th Semester Exam., 2022

PHYSICS

(Honours)

ELEVENTH PAPER : CC - 11

Full Marks : 60

Time : 3 Hours

Answer from **both** the Groups as directed.

The figures in the margin indicate full marks.

Candidates are required to give their answers
in their own words as far as practicable.

GROUP—A

1. Answer any **six** of the following questions :

2×6=12

2 ✓ (a) What is gyromagnetic ratio?

2 ✓ (b) What is the energy of the electron in the
nth orbit of H_2 atom?

2 ✓ (c) State Hund's rule.

1 ✓ (d) What do you mean by Na-D lines?

(e) What is L-S coupling?

(2)

(f) Write the role of rotational quantum number in the energy expression of rigid rotator.

2. (g) What do you mean by normalization constant?

1. (h) Write two differences between Stark effect and Paschen-Back effect.

GROUP-B

There are four questions from Question No. 2 to Question No. 5. Answer either (a) or (b) from each question given below :

12×4=48

2. (a) (i) From Schrodinger time dependent equation in 3-D, find the normalised momentum eigenfunction. From this find the probability of momentum lying between p and $P + dp$.

(ii) For Gaussian wave packet, show that the uncertainty relation holds for position and momentum.

(iii) Considering $\psi(r) = \frac{1}{r} e^{ikr}$

$$\text{Where } r = \sqrt{x^2 + y^2 + z^2}$$

calculate the value of current density J .

$$(4+2)+3+3=12$$

[Continued]

PHSH-5/879

(3)

(OR)

(b) (i) A Gaussian wave packet is given by the equation

$$\psi(x, 0) = \frac{1}{(2\pi\sigma_0^2)^{1/4}} e^{-\frac{x^2}{2\sigma_0^2}} \exp\left(\frac{i^0}{\hbar} P_x\right)$$

Find the time evolution of the wave function.

(ii) What is the physical significance of commutation relation in quantum mechanics? Evaluate $[y, P_y]$.

(iii) Set the equation which gives the propagation of expectation value of position w.r.to time and show its relation with the expectation value of momentum.

$$4 + (2+2) + (2+2) = 12$$

3. (a) (i) The wave function of a particle of mass m is moving in a potential $V(x) = \alpha^2 x^2$ is

$$\psi(x) = \exp\left(-\sqrt{\frac{m\alpha^2}{2\hbar^2}} x^2\right)$$

α is a const. Find the energy of the system.

[Turn Over]

PHSH-5/879

(4)

(ii) In case of harmonic oscillator, for a large value of n , show that the average value of $|\psi_n(x)|^2$ is in good agreement with the corresponding classical value.

(iii) Write the boundary condition and condition of continuity for the wave function.
 $5+4+3=12$

(OR)

(b) (i) A particle of mass m confined to move in a potential $V(x) = 0$ for $0 \leq x \leq a$ and $V(x) = \infty$ otherwise. The wave function for the particle is given by

$$\psi(x, 0) = A \sin \frac{5\pi x}{a} \cos \frac{2\pi x}{a}. \quad \text{Normalise } \psi(x, 0).$$

Find $\psi(x, t)$ and compare the state of normalisation of the two wave functions.

(ii) What physical significance can you interpret from the above observation?

(iii) Set the Schrodinger equation of hydrogen atom for spherical polar coordinates. Find the radial part of the wave function and hence evaluate R_{20}
 $(2+2+2)+(4+2)=12$

[Continued]

PHSH-5/879

(5)

4. (a) (i) Write some differences between characteristic and continuous X-ray spectra.

(ii) Describe briefly the Stern-Gerlach expt. Explain the result of the experiment.

(iii) Physically explain what you mean by Bohr magneton.

$$\mu_B = \frac{e\hbar}{2m} \quad 3+(5+2)+2=12$$

(OR)

(b) (i) What will be the separation between the adjacent normal Zeeman components for emitted radiation of 4500 \AA in a magnetic field of 4 Tesla?

(ii) Find the velocity of the electron in the ground state of Bohr's hydrogen atom in terms of speed of light. What is this called?

(iii) What is vector atom model? Write down the electron configuration for Cu(29) using modern symbolism.
 $4+(3+1)+(2+2)=12$

5. (a) (i) State Pauli Exclusion Principle and give an example which can support the principle.

[Turn Over]

PHSH-5/879

(6)

(ii) What will be the state of wave function in case of exchange of co-ordinate of any two electrons, with respect to symmetry? Write the basic difference between hydrogen spectra and alkali spectra.

(iii) Find the possible values of resultant angular momenta for two electrons

with $j_1 = \frac{3}{2}$ and $j_2 = \frac{5}{2}$. $3+2+3+4=12$

(OR)

(b) (i) Write the difference between the rotational and vibrational spectra of a diatomic molecule.

(ii) To have a vibrational spectra why the atom should be heterogeneous.

(iii) With a clear diagram, show the spin orbit coupling for alkali like atom.

(iv) Calculate g factor for $2P_{\frac{3}{2}}$ and $2S_{\frac{1}{2}}$ states. Is there any role of g factor in spectral transitions? $3+2+4+3=12$

★ ★ ★